

Safety Data Sheet

Prepared according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 10/31/2018

Revision date: 10/31/2018

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Version: 1.0

1.1. PRODUCT IDENTIFIER

Product form Product name Vaporizer

Main use category

: Mixture

: Non-Destructive Testing.

- : SPOTCHECK ® SKL-SP2 aerosol
- : Aerosol

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

1.2.1. Relevant identified uses

- : Industrial use
- Use of the substance/mixture

1.2.2. Uses advised against

No additional information available

1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Manufacturer

Magnaflux® (A Division of ITW Ltd) Faraday Road, South Dorcan Industrial Estate SN3 5HE Swindon - UK T +44 (0)1793 524566 - F +44 (0)1793 490459 support.eu@magnaflux.com - www.eu.magnaflux.com

1.4. EMERGENCY TELEPHONE NUMBER

Emergency number

 DURING OFFICE HOURS, CALL T: +44 (0)1793 524566 (English only) [Office hours (GMT) Monday - Thursday 8am - 5pm, Friday 8am - 4pm];
 OUT OF OFFICE HOURS, CALL T: +44(0)203 394 9866

SECTION 2: HAZARDS IDENTIFICATION

2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1	H222;H229
Skin Sens. 1	H317
Asp. Tox. 1	H304

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. LABEL ELEMENTS

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

	GHS02 GHS07 GHS08
Signal word (CLP)	: Danger
Hazardous ingredients	: Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; 2-Naphthalenol, 1-[2- [2-ethyl-4-[2-(2-ethylphenyl)diazenyl]phenyl]diazenyl]-, ar-heptyl derivs
Hazard statements (CLP)	 H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H304 - May be fatal if swallowed and enters airways. H317 - May cause an allergic skin reaction.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.
10/31/2018	EN (English) 1/7



Safety Data Sheet

Unknown acute toxicity (CLP) - SDS

Prepared according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: 48.35% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 88.35% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

56.32% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Gas))

: Contains 86.37 % of components with unknown hazards to the aquatic environment

Unknown hazards to the aquatic environment (CLP)

2.3. OTHER HAZARDS

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. SUBSTANCES

Not applicable

3.2. MIXTURES

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(CAS-No.) 869062-45-3 (EC-No.) 920-107-4	30 - 60	Asp. Tox. 1, H304
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	(CAS-No.) 68515-48-0 (EC-No.) 271-090-9	5 - 10	Aquatic Acute 1, H400
2-Naphthalenol, 1-[2-[2-ethyl-4-[2-(2- ethylphenyl)diazenyl]phenyl]diazenyl]-, ar-heptyl derivs	(CAS-No.) 1401000-07-4 (EC-No.) 825-706-3	1 - 5	Skin Sens. 1, H317 Aquatic Chronic 4, H413

Full text of H-statements: see section 16

SECTION 4: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES 4.1 First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell. First-aid measures after skin contact : IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. : IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. First-aid measures after ingestion Never give anything by mouth to an unconscious person. 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED Symptoms/effects after inhalation : May cause irritation to the respiratory tract. Symptoms/effects after skin contact May cause skin irritation. Repeated exposure may cause skin dryness or cracking. May cause an allergic skin reaction. Symptoms/effects after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. : May be fatal if swallowed and enters airways. May be harmful if swallowed. May cause Symptoms/effects after ingestion gastrointestinal irritation, nausea, vomiting and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia. 4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: FIREFIGHTING MEASURES

5.1. EXTINGUISHING MEDIA

Suitable extinguishing media	: Carbon dioxide (CO2), dry chemical powder, foam. Water spray or fog.
Unsuitable extinguishing media	: Do not use water jet.
5.2. SPECIAL HAZARDS ARISING FROM	THE SUBSTANCE OR MIXTURE
Fire hazard	: Extremely flammable aerosol. Products of combustion may include, and are not limited to: oxides of carbon, oxides of nitrogen. Irritating fumes.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
5.3. ADVICE FOR FIREFIGHTERS	
Firefighting instructions	: DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Cool closed containers exposed to fire with water spray.



Safety Data Sheet

Prepared according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

General measures

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Elominate every possible source of ignition. Use only non-sparking tools. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. ENVIRONMENTAL PRECAUTIONS

Prevent entry to sewers and public waters.

6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

For containment

Stop leak without risks if possible. Move containers from spill area. Use only non-sparking tools. Use explosion-proof equipment. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into

Methods for cleaning up

surface water or sewer system. Wear recommended personal protective equipment.Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4. REFERENCE TO OTHER SECTIONS

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: HANDLING AND STORAGE

7.1. PRECAUTIONS FOR SAFE HANDLIN	3			
Additional hazards when processed	: Do not pierce or burn, even after use. Keep away from sources of ignition - No smoking. Hazardous waste due to potential risk of explosion.			
Precautions for safe handling	: Avoid contact with skin and eyes. Ensure adequate ventilation. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Do not spray on an open flame or other ignition source. Use non-sparking tools. Use explosion-proof equipment. Take precautionary measures against static discharge.			
Hygiene measures	: Wash contaminated clothing before reuse. Always wash hands after handling the product.			
7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES				
Technical measures	: Proper grounding procedures to avoid static electricity should be followed.			
Storage conditions	: Keep out of the reach of children. Store tightly closed in a dry and cool place. Keep away from ignition sources. Keep out of direct sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place.			
Storage temperature	: 10 - 30 °C			
7.3. SPECIFIC END USE(S)				

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. CONTROL PARAMETERS

No additional information available

8.2. EXPOSURE CONTROLS

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Chemical resistant gloves (according to European standard NF EN 374 or equivalent)

Eye protection:

Safety glasses or goggles are recommended when using product.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.



Safety Data Sheet

Prepared according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Environmental exposure controls:

Avoid release to the environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON DASIC FITTSIC	AL AND CHEMICAL PROPERTIES
Physical state	: Liquid
Appearance	: Red Aerosol
Colour	: Red
Odour	: Mild hydrocarbon
Odour threshold	: No data available
рН	: Neutral
Relative evaporation rate (butylacetate=1)	: < 0.1
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 230 °C
Flash point	: -40 °C (aerosol propellant)
Auto-ignition temperature	: > 200 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: < 0.5 mm Hg (@ 38°C)
Relative vapour density at 20 °C	: >1
Relative density	: 0.85 g/cm3
Solubility	: Negligible.
Partition coefficient n-octanol/water	: 3.9 - 6 (distillates (petroleum), hydrotreated light naphthenic)
Viscosity, kinematic	: 3.3 mm²/s (@ 20°C)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: Non oxidizing.
Lower explosive limit (LEL)	: 1 vol %
Upper explosive limit (UEL)	: 6 vol %

9.2. OTHER INFORMATION

No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1. REACTIVITY

No dangerous reactions known under normal conditions of use.

10.2. CHEMICAL STABILITY

Extremely flammable aerosol. Extreme risk of explosion by shock, friction, fire or other sources of ignition. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reactions known under normal conditions of use.

10.4. CONDITIONS TO AVOID

Heat. Incompatible materials. Sources of ignition. Direct sunlight.

10.5. INCOMPATIBLE MATERIALS

Strong oxidizing agents. Acids. Strong alkalis.

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon, oxides of nitrogen. Irritating fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity (oral)	: Not classified.
Acute toxicity (dermal)	: Not classified.
Acute toxicity (inhalation)	: Not classified.



Safety Data Sheet

Prepared according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1,2-Benzenedicarboxylic acid, di-C8-10-bra	
LD50 oral rat	> 10000 mg/kg
LD50 dermal rabbit	> 3160 mg/kg
Unknown acute toxicity (CLP) - SDS	 48.35% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 88.35% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 56.32% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Gas))
Skin corrosion/irritation	: Not classified.
Additional information	: Based on available data, the classification criteria are not met. Repeated exposure may caus skin dryness or cracking.
Serious eye damage/irritation	: Not classified.
Additional information	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified.
Additional information	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Not classified.
Additional information	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Not classified.
Additional information	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Not classified.
Additional information	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Not classified.
Additional information	: Based on available data, the classification criteria are not met.
Aspiration hazard	: May be fatal if swallowed and enters airways.
SPOTCHECK ® SKL-SP2 - aerosol	
Vaporizer	Aerosol
Viscosity, kinematic	3.3 mm²/s (@ 20°C)
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.
ECTION 12: ECOLOGICAL INFORM	ATION
2.1. TOXICITY	
Ecology - general	: May cause long-term adverse effects in the aquatic environment.
Jnknown hazards to the aquatic environment (CLP)	: Contains 86.37 % of components with unknown hazards to the aquatic environment
Acute aquatic toxicity	: Not classified.
Chronic aquatic toxicity	: Not classified.

1,2-Benzenedicarboxylic acid, di-C8-10-branc	hed alkyl esters, C9-rich (68515-48-0)
LC50 fish 1	0.42 mg/l (Exposure time: 96 h - Species: Ictalurus punctatus [flow-through])
LC50 fish 2 > 0.16 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])	
EC50 Daphnia 1	> 0.086 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 96h algae (1) > 2.8 mg/l (Species: Pseudokirchneriella subcapitata)	

12.2. PERSISTENCE AND DEGRADABILITY

	SPOTCHECK ® SKL-SP2 - aerosol		
	Persistence and degradability	Not established.	
14			

12.3. BIOACCUMULATIVE POTENTIAL

Bioaccumulative potential Not established.	

12.4. MOBILITY IN SOIL

Additional information

No additional information available

12.5. RESULTS OF PBT AND VPVB ASSESSMENT

No additional information available

12.6. OTHER ADVERSE EFFECTS

: No other effects known



Safety Data Sheet

Prepared according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. WASTE TREATMENT METHODS

Product/Packaging disposal recommendations

: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. Container under pressure. Do not drill or burn even after use.

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / IATA / IMDG

14.1.	UN NUMBER		
UN-No.	(ADR)	:	1950
UN-No.	(IMDG)	:	1950
UN-No.	(IATA)	:	1950
14.2.	UN PROPER SHIPPING NAME		
Proper	Shipping Name (ADR)	:	AEROSOLS, flammable.
Proper	Shipping Name (IMDG)	:	AEROSOLS, flammable.
Proper	Shipping Name (IATA)	:	AEROSOLS, flammable.
14.3.	TRANSPORT HAZARD CLASS(ES)		
ADR			
Transpo	ort hazard class(es) (ADR)	:	2.1
Danger	labels (ADR)	:	
IMDG			
Transpo	ort hazard class(es) (IMDG)	:	2.1
IATA			
Transpo	ort hazard class(es) (IATA)	:	2.1
14.4.	PACKING GROUP		
-	g group (ADR)		Not applicable
-	g group (IMDG)		Not applicable
Packing	g group (IATA)	:	Not applicable
14.5.	ENVIRONMENTAL HAZARDS		
Danger	ous for the environment	:	No
Marine	pollutant	:	No
Other in	nformation	:	No supplementary information available.
14.6.	SPECIAL PRECAUTIONS FOR USER		
Special	transport precautions	:	Do not handle until all safety precautions have been read and understood.
14.7.	TRANSPORT IN BULK ACCORDING T	0	ANNEX II OF MARPOL AND THE IBC CODE

: Not applicable

SECTION 15: REGULATORY INFORMATION

15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no REACH candidate substance. Contains no REACH Annex XIV substances

15.1.2. National regulations

National regulations (Germany): Wassergefahrdungklasse (water hazard class): WGK 1 – Low hazard to waters TechnischeAnleitungLuft (TA-Luft): Class 5.2.5 Organic substances, except dusts.

15.2. CHEMICAL SAFETY ASSESSMENT

No chemical safety assessment has been carried out

SECTION 16: OTHER INFORMATION

Indication of changes: None.

IBC code



Data sources

Other information

Prepared by

SPOTCHECK ® SKL-SP2 - aerosol

Safety Data Sheet

Prepared according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

: None.

: Nexreg Compliance Inc. www.Nexreg.com



Full text of H- and EUH-statements:

Aerosol 1	Aerosol, Catego	Aerosol, Category 1	
Aquatic Acute 1	Hazardous to th	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 4	Hazardous to th	Hazardous to the aquatic environment — Chronic Hazard, Category 4	
Asp. Tox. 1	Aspiration haza	Aspiration hazard, Category 1	
Skin Sens. 1	Skin sensitisatio	Skin sensitisation, Category 1	
H222	Extremely flam	Extremely flammable aerosol.	
H229	Pressurised cor	Pressurised container: May burst if heated.	
H304	May be fatal if s	May be fatal if swallowed and enters airways.	
H317	May cause an a	May cause an allergic skin reaction.	
H400	Very toxic to aq	Very toxic to aquatic life.	
H413	May cause long	May cause long lasting harmful effects to aquatic life.	
EUH066	Repeated expos	Repeated exposure may cause skin dryness or cracking.	
Classification and procedure u	sed to derive the classific	cation for mixtures according to Regulation (EC) 1272/2008 [CLP]:	
Aerosol 1	H222;H229	Expert judgment	
Skin Sens. 1	H317	Calculation method	
Asp. Tox. 1	H304	Calculation method	

SDS EU (REACH Annex II)_NEXREG_NEW_Magnaflux

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.